

Contents

| | | |
|----------|--|-----------|
| | List of Tables | xvii |
| | List of Figures | xix |
| | Preface | xxv |
| | Multilevel and longitudinal models: When and why? | 1 |
| I | Preliminaries | 9 |
| 1 | Review of linear regression | 11 |
| | 1.1 Introduction | 11 |
| | 1.2 Is there gender discrimination in faculty salaries? | 11 |
| | 1.3 Independent-samples t test | 12 |
| | 1.4 One-way analysis of variance | 17 |
| | 1.5 Simple linear regression | 19 |
| | 1.6 Dummy variables | 27 |
| | 1.7 Multiple linear regression | 30 |
| | 1.8 Interactions | 36 |
| | 1.9 Dummy variables for more than two groups | 42 |
| | 1.10 Other types of interactions | 48 |
| | 1.10.1 Interaction between dummy variables | 48 |
| | 1.10.2 Interaction between continuous covariates | 50 |
| | 1.11 Nonlinear effects | 52 |
| | 1.12 Residual diagnostics | 54 |
| | 1.13 ❖ Causal and noncausal interpretations of regression coefficients . . | 56 |
| | 1.13.1 Regression as conditional expectation | 56 |
| | 1.13.2 Regression as structural model | 57 |

| | | |
|-----------|--|-----------|
| 1.14 | Summary and further reading | 59 |
| 1.15 | Exercises | 60 |
| II | Two-level models | 71 |
| 2 | Variance-components models | 73 |
| 2.1 | Introduction | 73 |
| 2.2 | How reliable are peak-expiratory-flow measurements? | 74 |
| 2.3 | Inspecting within-subject dependence | 75 |
| 2.4 | The variance-components model | 77 |
| 2.4.1 | Model specification | 77 |
| 2.4.2 | Path diagram | 78 |
| 2.4.3 | Between-subject heterogeneity | 79 |
| 2.4.4 | Within-subject dependence | 80 |
| | Intraclass correlation | 80 |
| | Intraclass correlation versus Pearson correlation | 81 |
| 2.5 | Estimation using Stata | 82 |
| 2.5.1 | Data preparation: Reshaping to long form | 83 |
| 2.5.2 | Using xtreg | 84 |
| 2.5.3 | Using xtmixed | 85 |
| 2.6 | Hypothesis tests and confidence intervals | 87 |
| 2.6.1 | Hypothesis test and confidence interval for the population mean | 87 |
| 2.6.2 | Hypothesis test and confidence interval for the between-cluster variance | 88 |
| | Likelihood-ratio test | 88 |
| | ❖ Score test | 89 |
| | F test | 92 |
| | Confidence intervals | 92 |
| 2.7 | Model as data-generating mechanism | 93 |
| 2.8 | Fixed versus random effects | 95 |
| 2.9 | Crossed versus nested effects | 97 |

| | | |
|----------|---|------------|
| 2.10 | Parameter estimation | 99 |
| 2.10.1 | Model assumptions | 99 |
| | Mean structure and covariance structure | 100 |
| | Distributional assumptions | 101 |
| 2.10.2 | Different estimation methods | 101 |
| 2.10.3 | Inference for β | 103 |
| | Estimate and standard error: Balanced case | 103 |
| | Estimate: Unbalanced case | 105 |
| 2.11 | Assigning values to the random intercepts | 106 |
| 2.11.1 | Maximum “likelihood” estimation | 106 |
| | Implementation via OLS regression | 107 |
| | Implementation via the mean total residual | 108 |
| 2.11.2 | Empirical Bayes prediction | 109 |
| 2.11.3 | Empirical Bayes standard errors | 113 |
| | Comparative standard errors | 113 |
| | Diagnostic standard errors | 114 |
| 2.12 | Summary and further reading | 115 |
| 2.13 | Exercises | 116 |
| 3 | Random-intercept models with covariates | 123 |
| 3.1 | Introduction | 123 |
| 3.2 | Does smoking during pregnancy affect birthweight? | 123 |
| 3.2.1 | Data structure and descriptive statistics | 125 |
| 3.3 | The linear random-intercept model with covariates | 127 |
| 3.3.1 | Model specification | 127 |
| 3.3.2 | Model assumptions | 128 |
| 3.3.3 | Mean structure | 130 |
| 3.3.4 | Residual variance and intraclass correlation | 130 |
| 3.3.5 | Graphical illustration of random-intercept model | 131 |
| 3.4 | Estimation using Stata | 131 |
| 3.4.1 | Using xtreg | 132 |

| | | |
|----------|---|------------|
| 3.4.2 | Using xtmixed | 133 |
| 3.5 | Coefficients of determination or variance explained | 134 |
| 3.6 | Hypothesis tests and confidence intervals | 138 |
| 3.6.1 | Hypothesis tests for regression coefficients | 138 |
| | Hypothesis tests for individual regression coefficients | 138 |
| | Joint hypothesis tests for several regression coefficients | 139 |
| 3.6.2 | Predicted means and confidence intervals | 140 |
| 3.6.3 | Hypothesis test for random-intercept variance | 142 |
| 3.7 | Between and within effects of level-1 covariates | 142 |
| 3.7.1 | Between-mother effects | 143 |
| 3.7.2 | Within-mother effects | 145 |
| 3.7.3 | Relations among estimators | 147 |
| 3.7.4 | Level-2 endogeneity and cluster-level confounding | 149 |
| 3.7.5 | Allowing for different within and between effects | 152 |
| 3.7.6 | Hausman endogeneity test | 157 |
| 3.8 | Fixed versus random effects revisited | 158 |
| 3.9 | Assigning values to random effects: Residual diagnostics | 160 |
| 3.10 | More on statistical inference | 164 |
| 3.10.1 | ❖ Overview of estimation methods | 164 |
| 3.10.2 | Consequences of using standard regression modeling for clustered data | 167 |
| 3.10.3 | ❖ Power and sample-size determination | 168 |
| 3.11 | Summary and further reading | 171 |
| 3.12 | Exercises | 172 |
| 4 | Random-coefficient models | 181 |
| 4.1 | Introduction | 181 |
| 4.2 | How effective are different schools? | 181 |
| 4.3 | Separate linear regressions for each school | 182 |
| 4.4 | Specification and interpretation of a random-coefficient model | 188 |
| 4.4.1 | Specification of a random-coefficient model | 188 |

| | | |
|--------|---|-----|
| 4.4.2 | Interpretation of the random-effects variances and co- variances | 191 |
| 4.5 | Estimation using xtmixed | 194 |
| 4.5.1 | Random-intercept model | 194 |
| 4.5.2 | Random-coefficient model | 196 |
| 4.6 | Testing the slope variance | 197 |
| 4.7 | Interpretation of estimates | 198 |
| 4.8 | Assigning values to the random intercepts and slopes | 200 |
| 4.8.1 | Maximum “likelihood” estimation | 200 |
| 4.8.2 | Empirical Bayes prediction | 201 |
| 4.8.3 | Model visualization | 203 |
| 4.8.4 | Residual diagnostics | 204 |
| 4.8.5 | Inferences for individual schools | 207 |
| 4.9 | Two-stage model formulation | 210 |
| 4.10 | Some warnings about random-coefficient models | 213 |
| 4.10.1 | Meaningful specification | 213 |
| 4.10.2 | Many random coefficients | 213 |
| 4.10.3 | Convergence problems | 214 |
| 4.10.4 | Lack of identification | 214 |
| 4.11 | Summary and further reading | 215 |
| 4.12 | Exercises | 216 |

III Models for longitudinal and panel data 225

Introduction to models for longitudinal and panel data (part III) 227

5 Subject-specific effects and dynamic models 247

5.1 Introduction 247

5.2 Conventional random-intercept model 248

5.3 Random-intercept models accommodating endogenous covariates . . 250

5.3.1 Consistent estimation of effects of endogenous time-varying covariates 250

| | | |
|----------|---|------------|
| 5.3.2 | Consistent estimation of effects of endogenous time-varying and endogenous time-constant covariates . . . | 253 |
| 5.4 | Fixed-intercept model | 257 |
| 5.4.1 | Using xtreg or regress with a differencing operator | 259 |
| 5.4.2 | ❖ Using anova | 262 |
| 5.5 | Random-coefficient model | 265 |
| 5.6 | Fixed-coefficient model | 267 |
| 5.7 | Lagged-response or dynamic models | 269 |
| 5.7.1 | Conventional lagged-response model | 269 |
| 5.7.2 | ❖ Lagged-response model with subject-specific intercepts | 273 |
| 5.8 | Missing data and dropout | 278 |
| 5.8.1 | ❖ Maximum likelihood estimation under MAR: A simulation | 279 |
| 5.9 | Summary and further reading | 282 |
| 5.10 | Exercises | 283 |
| 6 | Marginal models | 293 |
| 6.1 | Introduction | 293 |
| 6.2 | Mean structure | 293 |
| 6.3 | Covariance structures | 294 |
| 6.3.1 | Unstructured covariance matrix | 298 |
| 6.3.2 | Random-intercept or compound symmetric/exchangeable structure | 303 |
| 6.3.3 | Random-coefficient structure | 305 |
| 6.3.4 | Autoregressive and exponential structures | 308 |
| 6.3.5 | Moving-average residual structure | 311 |
| 6.3.6 | Banded and Toeplitz structures | 313 |
| 6.4 | Hybrid and complex marginal models | 316 |
| 6.4.1 | Random effects and correlated level-1 residuals | 316 |
| 6.4.2 | Heteroskedastic level-1 residuals over occasions | 317 |
| 6.4.3 | Heteroskedastic level-1 residuals over groups | 318 |
| 6.4.4 | Different covariance matrices over groups | 321 |

| | | |
|----------|--|------------|
| 6.5 | Comparing the fit of marginal models | 322 |
| 6.6 | Generalized estimating equations (GEE) | 325 |
| 6.7 | Marginal modeling with few units and many occasions | 327 |
| 6.7.1 | Is a highly organized labor market beneficial for economic growth? | 328 |
| 6.7.2 | Marginal modeling for long panels | 329 |
| 6.7.3 | Fitting marginal models for long panels in Stata | 329 |
| 6.8 | Summary and further reading | 332 |
| 6.9 | Exercises | 333 |
| 7 | Growth-curve models | 343 |
| 7.1 | Introduction | 343 |
| 7.2 | How do children grow? | 343 |
| 7.2.1 | Observed growth trajectories | 344 |
| 7.3 | Models for nonlinear growth | 345 |
| 7.3.1 | Polynomial models | 345 |
| | Fitting the models | 346 |
| | Predicting the mean trajectory | 349 |
| | Predicting trajectories for individual children | 351 |
| 7.3.2 | Piecewise linear models | 353 |
| | Fitting the models | 354 |
| | Predicting the mean trajectory | 357 |
| 7.4 | Two-stage model formulation | 358 |
| 7.5 | Heteroskedasticity | 360 |
| 7.5.1 | Heteroskedasticity at level 1 | 360 |
| 7.5.2 | Heteroskedasticity at level 2 | 362 |
| 7.6 | How does reading improve from kindergarten through third grade? | 364 |
| 7.7 | Growth-curve model as a structural equation model | 364 |
| 7.7.1 | Estimation using sem | 366 |
| 7.7.2 | Estimation using xtmixed | 371 |
| 7.8 | Summary and further reading | 375 |

| | | |
|-----------|---|------------|
| 7.9 | Exercises | 376 |
| IV | Models with nested and crossed random effects | 383 |
| 8 | Higher-level models with nested random effects | 385 |
| 8.1 | Introduction | 385 |
| 8.2 | Do peak-expiratory-flow measurements vary between methods within subjects? | 386 |
| 8.3 | Inspecting sources of variability | 388 |
| 8.4 | Three-level variance-components models | 389 |
| 8.5 | Different types of intraclass correlation | 392 |
| 8.6 | Estimation using <code>xtmixed</code> | 393 |
| 8.7 | Empirical Bayes prediction | 394 |
| 8.8 | Testing variance components | 395 |
| 8.9 | Crossed versus nested random effects revisited | 397 |
| 8.10 | Does nutrition affect cognitive development of Kenyan children? . . | 399 |
| 8.11 | Describing and plotting three-level data | 400 |
| 8.11.1 | Data structure and missing data | 400 |
| 8.11.2 | Level-1 variables | 401 |
| 8.11.3 | Level-2 variables | 402 |
| 8.11.4 | Level-3 variables | 403 |
| 8.11.5 | Plotting growth trajectories | 404 |
| 8.12 | Three-level random-intercept model | 405 |
| 8.12.1 | Model specification: Reduced form | 405 |
| 8.12.2 | Model specification: Three-stage formulation | 405 |
| 8.12.3 | Estimation using <code>xtmixed</code> | 406 |
| 8.13 | Three-level random-coefficient models | 409 |
| 8.13.1 | Random coefficient at the child level | 409 |
| 8.13.2 | Random coefficient at the child and school levels | 411 |
| 8.14 | Residual diagnostics and predictions | 413 |
| 8.15 | Summary and further reading | 418 |
| 8.16 | Exercises | 419 |

| | | |
|----------|--|------------|
| 9 | Crossed random effects | 433 |
| 9.1 | Introduction | 433 |
| 9.2 | How does investment depend on expected profit and capital stock? | 434 |
| 9.3 | A two-way error-components model | 435 |
| 9.3.1 | Model specification | 435 |
| 9.3.2 | Residual variances, covariances, and intraclass correlations | 436 |
| | Longitudinal correlations | 436 |
| | Cross-sectional correlations | 436 |
| 9.3.3 | Estimation using <code>xtmixed</code> | 437 |
| 9.3.4 | Prediction | 441 |
| 9.4 | How much do primary and secondary schools affect attainment at age 16? | 443 |
| 9.5 | Data structure | 444 |
| 9.6 | Additive crossed random-effects model | 446 |
| 9.6.1 | Specification | 446 |
| 9.6.2 | Estimation using <code>xtmixed</code> | 447 |
| 9.7 | Crossed random-effects model with random interaction | 448 |
| 9.7.1 | Model specification | 448 |
| 9.7.2 | Intraclass correlations | 448 |
| 9.7.3 | Estimation using <code>xtmixed</code> | 449 |
| 9.7.4 | Testing variance components | 451 |
| 9.7.5 | Some diagnostics | 453 |
| 9.8 | ❖ A trick requiring fewer random effects | 456 |
| 9.9 | Summary and further reading | 459 |
| 9.10 | Exercises | 460 |
| A | Useful Stata commands | 471 |
| | References | 473 |
| | Author index | 485 |
| | Subject index | 491 |